

Washington University in St. Louis

Washington University Open Scholarship

Mechanical Engineering and Materials Science
Independent Study

Mechanical Engineering & Materials Science

12-19-2016

Learning Abaqus for Master's thesis project

Eric Yoon

Washington University in St. Louis

Guy Genin

Washington University in St. Louis

Follow this and additional works at: <https://openscholarship.wustl.edu/mems500>

Recommended Citation

Yoon, Eric and Genin, Guy, "Learning Abaqus for Master's thesis project" (2016). *Mechanical Engineering and Materials Science Independent Study*. 30.

<https://openscholarship.wustl.edu/mems500/30>

This Final Report is brought to you for free and open access by the Mechanical Engineering & Materials Science at Washington University Open Scholarship. It has been accepted for inclusion in Mechanical Engineering and Materials Science Independent Study by an authorized administrator of Washington University Open Scholarship. For more information, please contact digital@wumail.wustl.edu.

A short course on finite element analysis, with application to the stress distribution in teeth

Donghwan Yoon

Department of Mechanical Engineering and Materials Science
Washington University, St. Louis, MO 63130

yoondh91@gmail.com

December 29, 2016

Abstract

The overall goal of my work is to gain insight into how tooth shape relates to its function. As a step towards this, I undertook an independent study project to learn finite element analysis (FEA) this semester, and to lay a foundation for my future Master's thesis project work. After solving a series of problems on paper, reading through my supervisor's work, and referring to a range of papers from the literature, I solved a series problems using FEA that helped me learn some specific methods that I believe will be useful to my research. This report contains an overview of some literature that I studied, and a summary of several finite element output plots that I found to be particularly instructive.

1. Introduction

The context in which this study was undertaken is the attachment of tendon to bone, which is a major challenge from the surgical, mechanical engineering, and tissue engineering perspectives [1-3]. For surgery, up to 94% of rotator cuff reattachments fail [4]. From the

mechanical engineering perspective, the mechanisms of resilience at the insertion site are an area of ongoing research [5-11], and must overcome the free edge singularity problem [12-29]. From the tissue engineering perspective, the natural tendon to bone attachment does not grow back [4], and it is important to find ways to stabilize tissue without this attachment [20-23] and to guide regrowth of the transitional tissue [24-28]. Stabilization of tissue during healing is a topic that I am focusing on and have contributed to a conference paper on [29]. The question of resilience of tissues motivated my ongoing study of how carnivores capture and tear through flesh.

As a step towards this, I studied some basic solid mechanics this semester, including some specialized problems from the textbook by Budynas [30], and studied an introduction to finite element analysis [31].

In this report, I present a few simple finite element results that demonstrate the issues that I expect to have to overcome in my masters research.

2. Methods

The study was conducted by becoming familiar with Abaqus, a finite element analysis program, and by analyzing simple shapes that would be relevant to the Master's thesis project. The steps involved in a finite element analysis are coming up with an idealized geometry, choosing boundary conditions, making a mesh, implementing the boundary conditions, solving the equations (equilibrium, strain displacement, and constitutive equations) by a matrix-based energy minimization method, and then validating results by mesh refinement [31].

The parts used for analysis were made by Solidworks CAD program, which will later become useful when creating more complex models. Also taking MEMS 202 CAD class during the semester greatly helped improving my proficiency in Solidworks.

The problems studied here were idealized teeth on elastic foundations (Figure 1). A simple triangular model and a simple tooth shape with similar properties were used for analysis. The two models were created with a base of 4 cm and a height of 6 cm. The Young's modulus and Poisson's ratio were set to 14 GPa and 0.3, respectively. These values correspond to human cortical bone which I have used as a reference material that would allow me to gain insight [32-36]. The values that were used can be changed easily which can be later analyzed when I have a firm idea on what the actual material will be used to create the model that would assist in the human rotator cuff repair.

The teeth were placed on an elastic foundation that resisted load elastically in the vertical direction. The foundation stiffness was set to be 6000 MN/m. This represents the contribution of the periodontal ligament, the cells, and the fibrocartilage [37-39]. Although these are viscoelastic or nonlinearly viscoelastic [40-42], and teeth are highly responsive to temperature [43], simple linear elastic properties were used for my first tries at using Abaqus.

The other boundary conditions were as follow. The right hand side of the tooth was subjected to a unit load in the horizontal direction (towards the left), and was traction free in the vertical direction. The right hand side was traction free. The bottom was shear free, and, in the examples shown here, the lower left corner was restrained from moving. This last condition highlights a challenge that I will have when creating more advanced models of teeth.

The models were two dimensional, and plane strain, linear interpolation quadrilateral and triangular elements were used. In the results displayed, the elements were used without hourglass control for the purpose of highlighting the challenges expected.

Abaqus was used to refine the mesh until the strain energy and peak stress did not change more than a few percent with additional refinement. The corresponding plots of the maximum principal stress, strain tensor energy and the strain energy density will be attached.

3. Results and Discussion

The maximum tensile principal stress follows what would be expected in a cantilever beam with the boundary conditions used (Figure 1). For the curved tooth, the tensile stresses were in general higher on the loaded face, and the principal stress was zero on the back face, consistent with what is expected for flexure of a beam [30]. Two artifacts appear. The first is a stress concentration at the point that was fixed, in the lower left hand corner. This arose because of the choice made to have rollers on the bottom boundary and one fixed point. However, in other simulations where the bottom boundary was “encastre” [31], meaning that the displacement was fixed to zero, a stress concentration known as a Williams free-edge singularity appeared at that corner [44]. The stress concentrations or stress singularities can be suppressed by choosing different boundary conditions, such as a foundation that is elastic in shear or a cohesive zone model, which is used in fracture studies [31,46]. Although the understanding of these mechanisms falls under multi-scale modeling that is beyond the scope of what is needed for this study, phenomenological models can be used to account for how microstructure relates to continuum behavior [45-46]. The second is an hourglass effect [31]. Here, the oscillatory nature of the free edge singularity shows up as a series of errors in the estimation of displacements, which makes neighboring quadrilateral elements look like hourglasses [31]. The hourglass effect can be suppressed by choosing elements with “hourglass control” or by choosing triangular elements [31].

The normal strain in the vertical direction also shows what would be expected from Euler-Bernouli beam theory (Figure 2). The strains are generally tensile on the loaded face and compressive on the free face. A strain concentration is evident at the curve of the curved tooth. Both teeth also show the free edge singularity at the point that is fixed.

The final plot is strain energy density. The strain energy is particularly important because the finite element program uses the principle of minimum potential energy to estimate the displacement field. The strain energy density is dominated by the Williams singularity. However, because it is elevated over only a few of the thousands of elements, it is possible for the program to estimate a reasonable solution far away from the singularity.

4. Conclusions

I am confident that I have become familiar and somewhat proficient in using Solidworks and in Abaqus in order to create and analyze models. This skill sets that I have acquired during the semester shall contribute to laying a foundation to a Master's thesis project which is the learning objective of the study.

5. Acknowledgments

I thank my mentors Guy Genin, Victor Birman, and Stavros Thomopoulos, and also my labmate Steve Linderman, for their guidance on this study.





Figure 1. The maximum tensile principal stress in two simple models of teeth loaded by a horizontal unit distributed load on the right hand face. For the curved tooth, the tensile stresses were in general higher on the loaded face, and the principal stress was zero on the back face, consistent with what is expected for flexure of a beam. Two artifacts appear: a stress concentration at the point that was fixed, in the lower left hand corner, and an hourglass effect, which makes neighboring quadrilateral elements look like hourglasses.





Figure 2. Normal engineering strain component in the vertical direction. The strains are generally tensile on the loaded face and compressive on the free face. A strain concentration is evident at the curve of the curved tooth. Both teeth also show the singularity at the point that is fixed.





Figure 3. Strain energy density. The strain energy density is highest at the singularity associated with the pinned node.

References

- [1] Lu, H.H. and Thomopoulos, S., 2013. Functional attachment of soft tissues to bone: development, healing, and tissue engineering. *Annual review of biomedical engineering*, 15, pp.201-226.
- [2] Birman, V., S. Thomopoulos, and G. M. Genin. "Challenges in attaching dissimilar materials." In *Structural Interfaces and Attachments in Biology*, S. Thomopoulos, V. Birman, and G. M. Genin, eds. New York: Springer, 2012.
- [3] Genin, G. M. and Y. Liu. "Models for the mechanics of joining dissimilar materials." In *Structural Interfaces and Attachments in Biology*, S. Thomopoulos, V. Birman, and G. M. Genin, eds. New York: Springer, 2012.
- [4] Galatz, L.M., Ball, C.M., Teefey, S.A., Middleton, W.D. and Yamaguchi, K., 2004. The outcome and repair integrity of completely arthroscopically repaired large and massive rotator cuff tears. *J Bone Joint Surg Am*, 86(2), pp.219-224.
- [5] Birman, V., S. Thomopoulos, G.M. Genin. Multifunctional and Multiscale Natural Optimization of the Tendon-to-Bone Insertion Site: Composite Mechanics Lessons from Biology. Paper IMECE2015-50625. ASME International Mechanical Engineering Congress and Exposition (IMECE 2015). November 13-19, 2015, Houston, TX.
- [6] Liu, Y., Birman, V., Chen, C., Thomopoulos, S. and Genin, G.M., 2011. Mechanisms of bimaternal attachment at the interface of tendon to bone. *ASME Journal of Engineering Materials and Technology*, 133(1), p.011006.
- [7] Birman, V., Yanxin Liu, Stavros Thomopoulos, Guy M. Genin. Multiscale Optimization of Joints of Dissimilar Materials in Nature and Lessons for Engineering Applications. In *Advanced Structured Materials*. New York: Springer, 2012.
- [8] Liu, Y.X., Thomopoulos, S., Birman, V., Li, J.S. and Genin, G.M., 2012. Bi-material attachment through a compliant interfacial system at the tendon-to-bone insertion site. *Mechanics of Materials*, 44, pp.83-92
- [9] Liu, Y., A. G. Schwartz, V. Birman, S. Thomopoulos, and G. M. Genin. Adaptation of Developing Tendon-to-Bone Insertion Site to Optimize Stress Environment During Development. In *Composite Materials: The Great Advance*, pp. 7727-7735. Byte Press Publishers, 2013.
- [10] Victor Birman, Guy M. Genin, and Stavros Thomopoulos. Multiscale Enthesis Mechanics. In *Proceedings of the 20th International Conference on Composite Materials*, Copenhagen, July 19-24, 2015.
- [11] Deymier-Black, A.C., Pasteris, J.D., Genin, G.M. and Thomopoulos, S., 2015. Allometry of the tendon entheses: mechanisms of load transfer between tendon and bone. *ASME Journal of Biomechanical Engineering*, 137(11), p.111005.
- [12] Saadat, F., Deymier, A.C., Birman, V., Thomopoulos, S. and Genin, G.M., 2016. The concentration of stress at the rotator cuff tendon-to-bone attachment site is conserved across species. *Journal of the Mechanical Behavior of Biomedical Materials*, 62, pp.24-32.
- [13] Hu, Y., Birman, V., Deymier-Black, A., Schwartz, A.G., Thomopoulos, S. and Genin, G.M., 2015. Stochastic interdigitation as a toughening mechanism at the interface between tendon and bone. *Biophysical Journal*, 108(2), pp.431-437.
- [14] Liu, Y., Thomopoulos, S., Chen, C., Birman, V., Buehler, M.J. and Genin, G.M., 2014. Modelling the mechanics of partially mineralized collagen fibrils, fibres and tissue. *Journal of The Royal Society Interface*, 11(92), p.20130835.
- [15] Thomopoulos, S., Marquez, J.P., Weinberger, B., Birman, V. and Genin, G.M., 2006. Collagen fiber orientation at the tendon to bone insertion and its influence on stress concentrations. *Journal of Biomechanics*, 39(10), pp.1842-1851.
- [16] Genin, G.M., Kent, A., Birman, V., Wopenka, B., Pasteris, J.D., Marquez, P.J. and Thomopoulos, S., 2009. Functional grading of mineral and collagen in the attachment of tendon to bone. *Biophysical Journal*, 97(4), pp.976-985.
- [17] Birman, V., Stavros Thomopoulos, Jenny Y. Hu, Guy M. Genin. Interdigitation of Materials and Its Implications for Engineering and Biological Attachments. Paper IMECE2013-62618. 2013 ASME International Mechanical Engineering Conference and Exhibition.
- [18] Liu, Y., Victor Birman, Changqing Chen, Stavros Thomopoulos, Guy M. Genin. Tailoring the gross morphology of the tendon-to-bone insertion for the reduction of stress concentrations. Paper SBC2011-53636. Proceedings of the ASME 2011 Summer Bioengineering Conference (SBC2011).

- [19] Liu, Y., Victor Birman, Changqing Chen, Stavros Thomopoulos, Guy M. Genin. Elastic stress singularities: Implications for the attachment of tendon to bone. Paper SBC2011-53724. Proceedings of the ASME 2011 Summer Bioengineering Conference (SBC2011).
- [20] Linderman, S.W., Kormpakis, I., Gelberman, R.H., Birman, V., Wegst, U.G.K., Genin, G.M. and Thomopoulos, S., 2015. Shear lag sutures: Improved suture repair through the use of adhesives. *Acta Biomaterialia*, 23, pp.229-239.
- [21] Smith, L.J., Deymier, A.C., Boyle, J.J., Li, Z., Linderman, S.W., Pasteris, J.D., Xia, Y., Genin, G.M. and Thomopoulos, S., 2016. Tunability of collagen matrix mechanical properties via multiple modes of mineralization. *Interface Focus*, 6(1), p.20150070.
- [22] Smith, L., Xia, Y., Galatz, L.M., Genin, G.M. and Thomopoulos, S., 2012. Tissue-engineering strategies for the tendon/ligament-to-bone insertion. *Connective Tissue Research*, 53(2), pp.95-105.
- [23] Lipner, J., Liu, W., Liu, Y., Boyle, J., Genin, G.M., Xia, Y. and Thomopoulos, S., 2014. The mechanics of PLGA nanofiber scaffolds with biomimetic gradients in mineral for tendon-to-bone repair. *Journal of the Mechanical Behavior of Biomedical Materials*, 40, pp.59-68.
- [24] Kolluru, P.V., Lipner, J., Liu, W., Xia, Y., Thomopoulos, S., Genin, G.M. and Chasiotis, I., 2013. Strong and tough mineralized PLGA nanofibers for tendon-to-bone scaffolds. *Acta Biomaterialia*, 9(12), pp.9442-9450.
- [25] Schwartz, A.G., Lipner, J.H., Pasteris, J.D., Genin, G.M. and Thomopoulos, S., 2013. Muscle loading is necessary for the formation of a functional tendon enthesis. *Bone*, 55(1), pp.44-51.
- [26] Schwartz, A.G., Pasteris, J.D., Genin, G.M., Daulton, T.L. and Thomopoulos, S., 2012. Mineral distributions at the developing tendon enthesis. *PLoS One*, 7(11), p.e48630.
- [27] Thomopoulos, S., Das, R., Birman, V., Smith, L., Ku, K., Elson, E.L., Pryse, K.M., Marquez, J.P. and Genin, G.M., 2011. Fibrocartilage tissue engineering: the role of the stress environment on cell morphology and matrix expression. *Tissue Engineering Part A*, 17(7-8), pp.1039-1053.
- [28] Thomopoulos, S., Genin, G.M. and Galatz, L.M., 2010. The development and morphogenesis of the tendon-to-bone insertion What development can teach us about healing. *Journal of Musculoskeletal & Neuronal Interactions*, 10(1), pp.35-45.
- [29] Linderman, S.W., Mikhail Golman, Donghwan Yoon, Victor Birman, Guy M. Genin, Stavros Thomopoulos. Strengthening tendon-to-bone repair with mechanically-optimized adhesives. 2017 Annual Meeting of the Orthopedic Research Society. San Diego, California March 19-22, 2017.
- [30] Budynas, R., *Advanced Strength and Applied Stress Analysis*. New York: McGraw-Hill Science/Engineering/Math, 1998
- [31] Hibbitt, D., Karlsson, B. and Sorensen, P., 2013. *Abaqus/CAE user's guide*.
- [32] Thomopoulos, S., and G.M. Genin. "Tendon and Ligament Biomechanics." In *Orthopedic Biomechanics*. B. Winkelstein, ed. New York: Taylor & Francis, 2012.
- [33] Liu, Y., Victor Birman, Changqing Chen, Stavros Thomopoulos, Guy M. Genin. On the mechanics of partially mineralized tissues and their implications for the attachment of tendon to bone. Paper SBC2011-53991. Proceedings of the ASME 2011 Summer Bioengineering Conference (SBC2011).
- [34] Liu, Y., Schwartz, A.G., Birman, V., Thomopoulos, S. and Genin, G.M., 2014. Stress amplification during development of the tendon-to-bone attachment. *Biomechanics and Modeling in Mechanobiology*. 13(5), pp.973-983.
- [35] Deymier-Black, A.C., Yiran An, Andrea G. Schwartz, Guy M. Genin, Stavros Thomopoulos, Asa H. Barber. Micrometer-scale Mechanical Properties Of The Tendon-to-bone Attachment. Paper SB3C2015-594. Summer Biomechanics, Bioengineering, and Biotransport Conference, Snowbird, Utah, June 17-20, 2015.
- [36] Saadat, F., Birman, V., Thomopoulos, S. and Genin, G.M., 2015. Effective elastic properties of a composite containing multiple types of anisotropic ellipsoidal inclusions, with application to the attachment of tendon to bone. *Journal of the Mechanics and Physics of Solids*, 82, pp.367-377.
- [37] Spencer, P., Ye, Q., Park, J., Parthasarathy, R., Marangos, O., Misra, A., Bohaty, B.S., Singh, V. and Laurence, J.S., 2013. Dentin/adhesive interface in teeth. In *Structural Interfaces and Attachments in Biology* (pp. 133-151). Springer New York.
- [38] Lin, M., ShaoBao Liu, Feng Xu, TianJian Lu, BoFeng Bai, and Guy M. Genin. "Thermal Pain in Teeth: Heat Transfer, Thermomechanics and Ion Transport." In *Transport in Biological Media*, Sid M. Becker and Andrey V. Kuznetsov, eds, Amsterdam: Elsevier, 2013.
- [39] *Structural Interfaces and Attachments in Biology*, S. Thomopoulos, V. Birman, and G. M. Genin, eds. New York: Springer, 2012.

- [40] Babaei, B., Davarian, A., Lee, S.L., Pryse, K.M., McConnaughey, W.B., Elson, E.L. and Genin, G.M., 2016. Remodeling by fibroblasts alters the rate-dependent mechanical properties of collagen. *Acta Biomaterialia*, 37, pp.28-37.
- [41] Babaei, B., Davarian, A., Pryse, K.M., Elson, E.L. and Genin, G.M., 2015. Efficient and optimized identification of generalized Maxwell viscoelastic relaxation spectra. *Journal of the mechanical behavior of biomedical materials*, 55, pp.32-41.
- [42] Babaei, B., Abramowitch, S.D., Elson, E.L., Thomopoulos, S. and Genin, G.M., 2015. A discrete spectral analysis for determining quasi-linear viscoelastic properties of biological materials. *Journal of The Royal Society Interface*, 12(113), p.20150707.
- [43] Lin, M., Genin, G.M., Xu, F. and Lu, T., 2014. Thermal Pain in Teeth: Electrophysiology Governed by Thermomechanics. *Applied mechanics reviews*, 66(3), p.030801.
- [44] Williams, M.L., 1952. Stress singularities resulting from various boundary conditions. *Journal of applied mechanics*, 19(4), pp.526-528.
- [45] Buehler, M.J. and Genin, G.M., 2016. Integrated multiscale biomaterials experiment and modelling: a perspective. *Interface Focus*, 6(1), p.20150098.
- [46] de Borst, R., Remmers, J.J. and Needleman, A., 2006. Mesh-independent discrete numerical representations of cohesive-zone models. *Engineering fracture mechanics*, 73(2), pp.160-177.