

Washington University in St. Louis

Washington University Open Scholarship

Biology Department Bibliographies

Biology

9-9-2024

Biology Department Publications: 2004

Sam Lindgren

Washington University in St. Louis, lindgrens@wustl.edu

Follow this and additional works at: https://openscholarship.wustl.edu/bio_biblio



Part of the [Biology Commons](#)

Recommended Citation

Lindgren, Sam, "Biology Department Publications: 2004" (2024). *Biology Department Bibliographies*. 4. https://openscholarship.wustl.edu/bio_biblio/4

This Bibliography is brought to you for free and open access by the Biology at Washington University Open Scholarship. It has been accepted for inclusion in Biology Department Bibliographies by an authorized administrator of Washington University Open Scholarship. For more information, please contact digital@wumail.wustl.edu.

Biology Department Publications: 2004

- Allen, G. (2004a). DNA and human-behavior genetics: Implications for the criminal justice system. In D. Lazer (Ed.), *DNA and the criminal justice system*. MIT Press.
- Allen, G. (2004b). Eugenica. In F. L. Pardi (Ed.), *Enciclopedia italiana: Enciclopedia del novecento, supplement III*. Enciclopedia Italiana.
- Allen, G. (2004c). Evolutionary biology and genetics. In S. Petruccioli (Ed.), *Enciclopedia italiana* (Vol. 2). Enciclopedia Italiana.
- Allen, G. (2004d). Mendelian genetics and postgenomics: The legacy for today. *Ludus Vitalis*, 12, 213–236.
- Allen, G. E. (2004a). A pact with the embryo: Viktor Hamburger, holistic and mechanistic philosophy in the development of neuroembryology, 1927-1955. *Journal of the History of Biology*, 37(3), 421–475. <https://doi.org/10.1007/s10739-004-4448-2>
- Allen, G. E. (2004b). Heredity, development and evolution at the carnegie insitution of washington. In J. Maienschein, M. Glitz, & G. E. Allen (Eds.), *Centennial history of the carnegie institution of washington: The department of embryology* (Vol. 5, pp. 145–171). Cambridge University Press.
- Allen, G. E. (2004c). Peas and helices. *Nature*, 430(6998), 404–404. <https://doi.org/10.1038/430404a>
- Allen, G. E. (2004d). The viktor hamburger papers and reprint collection in woods hole, massachusetts. *Mendel Newsletter*, 13.

2 Biology Department Publications: 2004

Allen, G. E. (2004e). Was nazi eugenics created in the US? *EMBO Reports*, 5(5), 451–452.

<https://doi.org/10.1038/sj.embor.7400158>

Ashman, T. L., Knight, T. M., Steets, J. A., Amarasekare, P., Burd, M., Campbell, D. R., Dudash, M. R., Johnston, M. O., Mazer, S. J., Mitchell, R. J., Morgan, M. T., & Wilson, W. G. (2004). *Pollen limitation of plant reproduction: Ecological and evolutionary causes and consequences*. <https://doi.org/10.1890/03-8024>

Asurmendi, S., Berg, R. H., Koo, J. C., & Beachy, R. N. (2004). Coat protein regulates formation of replication complexes during tobacco mosaic virus infection. *Proceedings of the National Academy of Sciences of the United States of America*, 101(5), 1415–1420.

<https://doi.org/10.1073/pnas.0307778101>

Aton, S. J., Block, G. D., Tei, H., Yamazaki, S., & Herzog, E. D. (2004). Plasticity of circadian behavior and the suprachiasmatic nucleus following exposure to non-24-hour light cycles. *Journal of Biological Rhythms*, 19(3), 198–207.

<https://doi.org/10.1177/0748730404264156>

Baud, D., Benyacoub, J., Revaz, V., Kok, M., Ponci, F., Bobst, M., Curtiss, R., De Grandi, P., & Nardelli-Haeffliger, D. (2004). Immunogenicity against human papillomavirus type 16 virus-like particles is strongly enhanced by the PhoPc phenotype in salmonella enterica serovar typhimurium. *Infection and Immunity*, 72(2), 750–756.

<https://doi.org/10.1128/IAI.72.2.750-756.2004>

Bawa, K. S., Kress, W. J., Nadkarni, N. M., Lele, S., Raven, P. H., Janzen, D. H., Lugo, A. E., Ashton, P. S., & Lovejoy, T. E. (2004). Tropical ecosystems into the 21st century.

Science, 306(5694), 227–228. <https://doi.org/10.1126/science.306.5694.227b>

3 Biology Department Publications: 2004

Beck, J. B., Nesom, G. L., Calie, P. J., Baird, G. I., Small, R., & Schilling, E. L. E. (2004). Is subtribe solidagininae (asteraceae) monophyletic? *Taxon*, *53*(3), 691–698.

<https://doi.org/10.2307/4135444>

Bedigian, D. (2004a). History and lore of sesame in southwest asia. *Economic Botany*, *58*(3), 329–353.

Bedigian, D. (2004b). Slimy leaves and oily seeds: Distribution and use of wild relatives of sesame in africa. *Economic Botany*, *58*, S3–S33.

Bednarski, A. E., Pakrasi, H. B., & Elgin, S. C. R. (2004). Teaching bioinformatic tools in a large introductory course. *FASEB Journal*, *18 Suppl*, C205.

Bergman, T. J., & Beehner, J. C. (2004). Social system of a hybrid baboon group (papio anubis × p. Hamadryas). *International Journal of Primatology*, *25*(6), 1313–1330.

<https://doi.org/10.1023/B:IJOP.0000043964.01085.dc>

Brill, L. M., Dechongkit, S., DeLaBarre, B., Stroebel, J., Beachy, R. N., & Yeager, M. (2004).

Dimerization of recombinant tobacco mosaic virus movement protein. *Journal of Virology*, *78*(7), 3372–3377. <https://doi.org/10.1128/JVI.78.5.3372-3377.2004>

Brisson, J. A., Templeton, A. R., & Duncan, I. (2004). Population genetics of the developmental gene optomotor-blind (omb) in drosophila polymorpha. *Genetics*, *168*(4), 1999–2010.

<https://doi.org/10.1534/genetics.104.032078>

Brooks, D. M., Hernández-Guzmán, G., Kloek, A. P., Alarcón-Chaidez, F., Sreedharan, A., Rangaswamy, V., Peñaloza-Vázquez, A., Bender, C. L., & Kunkel, B. N. (2004).

Identification and characterization of a well-defined series of coronatine biosynthetic

4 Biology Department Publications: 2004

- mutants of *Pseudomonas syringae* pv. *Tomato DC3000*. *Molecular Plant-Microbe Interactions*, 17(2), 162–174. <https://doi.org/10.1094/MPMI.2004.17.2.162>
- Brower-Toland, B., & Wang, M. D. (2004). Use of optical trapping techniques to study single-nucleosome dynamics. *Methods in Enzymology*, 376, 62–72. [https://doi.org/10.1016/S0076-6879\(03\)76005-4](https://doi.org/10.1016/S0076-6879(03)76005-4)
- Caicedo, A. L., & Schaal, B. A. (2004a). Heterogeneous evolutionary processes affect R gene diversity in natural populations of *Solanum pimpinellifolium*. *Proceedings of the National Academy of Sciences*, 101(50), 17444–17449. <https://doi.org/10.1073/pnas.0407899101>
- Caicedo, A. L., & Schaal, B. A. (2004b). Population structure and phylogeography of *Solanum pimpinellifolium* inferred from a nuclear gene. *Molecular Ecology*, 13(7), 1871–1882. <https://doi.org/10.1111/j.1365-294X.2004.02191.x>
- Casaretto, J. A., Zúñiga, G. E., & Corcuera, L. J. (2004). Abscisic acid and jasmonic acid affect proteinase inhibitor activities in barley leaves. *Journal of Plant Physiology*, 161(4), 389–396. <https://doi.org/10.1078/0176-1617-01236>
- Catalán, P., Torrecilla, P., López Rodríguez, J. A., & Olmstead, R. G. (2004). Phylogeny of the festucoid grasses of subtribe Loliinae and allies (Poeae, Pooideae) inferred from ITS and trnL-F sequences. *Molecular Phylogenetics and Evolution*, 31(2), 517–541. <https://doi.org/10.1016/j.ympev.2003.08.025>
- Chandra Babu, R., Zhang, J., Blum, A., David Ho, T.-H., Wu, R., & Nguyen, H. T. (2004). HVA, a LEA gene from barley confers dehydration tolerance in transgenic rice (*Oryza sativa* L.) via cell membrane protection. *Plant Science*, 166(4), 855–862. <https://doi.org/10.1016/j.plantsci.2003.11.023>

5 Biology Department Publications: 2004

- Chase, J. M., & Ryberg, W. A. (2004). Connectivity, scale-dependence, and the productivity–diversity relationship. *Ecology Letters*, 7(8), 676–683. <https://doi.org/10.1111/j.1461-0248.2004.00622.x>
- Chen, C.-N., Chiang, Y.-C., Ho, T.-H. D., Schaal, B. A., & Chiang, T.-Y. (2004). Coalescent processes and relaxation of selective constraints leading to contrasting genetic diversity at paralogs AtHVA22d and AtHVA22e in *Arabidopsis thaliana*. *Molecular Phylogenetics and Evolution*, 32(2), 616–626. <https://doi.org/10.1016/j.ympev.2004.01.015>
- Chen, Z., Kloek, A. P., Cuzick, A., Moeder, W., Tang, D., Innes, R. W., Klessig, D. F., McDowell, J. M., & Kunkel, B. N. (2004). The *Pseudomonas syringae* type III effector AvrRpt2 functions downstream or independently of SA to promote virulence on *Arabidopsis thaliana*. *The Plant Journal: For Cell and Molecular Biology*, 37(4), 494–504. <https://doi.org/10.1111/j.1365-313x.2003.01984.x>
- Chiang, Y.-C., Schaal, B. A., Ge, X. J., & Chiang, T.-Y. (2004). Range expansion leading to departures from neutrality in the nonsymbiotic hemoglobin gene and the cpDNA trnL-trnF intergenic spacer in *Trema dielsiana* (Ulmaceae). *Molecular Phylogenetics and Evolution*, 31(3), 929–942. <https://doi.org/10.1016/j.ympev.2003.09.017>
- Clotfelter, E. D., O’Neal, D. M., Gaudioso, J. M., Casto, J. M., Parker-Renga, I. M., Snajdr, E. A., Duffy, D. L., Nolan, V., & Ketterson, E. D. (2004). Consequences of elevating plasma testosterone in females of a socially monogamous songbird: Evidence of constraints on male evolution? *Hormones and Behavior*, 46(2), 171–178. <https://doi.org/10.1016/j.yhbeh.2004.03.003>

6 Biology Department Publications: 2004

Collin-Osdoby, P. (2004). Regulation of vascular calcification by osteoclast regulatory factors RANKL and osteoprotegerin. *Circulation Research*, 95(11), 1046–1057.

<https://doi.org/10.1161/01.RES.0000149165.99974.12>

Curtis, J., Shearer, G., & Kohl, D. H. (2004). Bacteroid proline catabolism affects N₂ fixation rate of drought-stressed soybeans. *Plant Physiology*, 136(2), 3313–3318.

<https://doi.org/10.1104/pp.104.044024>

Dai, S., Zhang, Z., Chen, S., & Beachy, R. N. (2004). RF2b, a rice bZIP transcription activator, interacts with RF2a and is involved in symptom development of rice tungro disease.

Proceedings of the National Academy of Sciences, 101(2), 687–692.

<https://doi.org/10.1073/pnas.0307687100>

Dellino, G. I., Schwartz, Y. B., Farkas, G., McCabe, D., Elgin, S. C. R., & Pirrotta, V. (2004). Polycomb silencing blocks transcription initiation. *Molecular Cell*, 13(6), 887–893.

[https://doi.org/10.1016/s1097-2765\(04\)00128-5](https://doi.org/10.1016/s1097-2765(04)00128-5)

Duncan, I. (2004). *Drosophila melanogaster*: Genetic portrait of the fruit fly. In L. H. Hartwell, L. Hood, M. L. Goldberg, A. E. Reynolds, L. E. Silver, & R. Veres (Eds.), *Genetics: From genes to genomes* (2nd ed., pp. 813–843). McGraw Hill.

Duncan, I., & Celniker, S. E. (2004). In memoriam: Edward B. Lewis (1918-2004).

Developmental Cell, 7(4), 487–489. <https://doi.org/10.1016/j.devcel.2004.09.005>

Fowler, J. E., Vejlupkova, Z., Goodner, B. W., Lu, G., & Quatrano, R. S. (2004). Localization to the rhizoid tip implicates a fucus distichus rho family GTPase in a conserved cell polarity pathway. *Planta*, 219(5), 856–866.

7 Biology Department Publications: 2004

- Frank, D. J., Noguchi, T., & Miller, K. G. (2004). Myosin VI: A structural role in actin organization important for protein and organelle localization and trafficking. *Current Opinion in Cell Biology*, 16(2), 189–194. <https://doi.org/10.1016/j.ceb.2004.02.001>
- Gaskin, J., Ghahremaninejad, F., Zhang, D.-Y., & Londo, J. (2004). A systematic overview of frankeniaceae and tamaricaceae from nuclear rDNA and plastid sequence data. *Annals of the Missouri Botanical Garden*, 91, 401–409.
- Gifford, M. E., Powell, R., Larson, A., & Gutberlet, R. L. (2004). Population structure and history of a phenotypically variable teiid lizard (*Ameiva chrysoleuca*) from hispaniola: The influence of a geologically complex island. *Molecular Phylogenetics and Evolution*, 32(3), 735–748. <https://doi.org/10.1016/j.ympev.2004.04.003>
- Glor, R. E., Gifford, M. E., Larson, A., Losos, J. B., Schettino, L. R., Chamizo Lara, A. R., & Jackman, T. R. (2004). Partial island submergence and speciation in an adaptive radiation: A multilocus analysis of the cuban green anoles. *Proceedings of the Royal Society B: Biological Sciences*, 271(1554), 2257–2265. <https://doi.org/10.1098/rspb.2004.2819>
- Granados-Fuentes, D., Prolo, L. M., Abraham, U., & Herzog, E. D. (2004). The suprachiasmatic nucleus entrains, but does not sustain, circadian rhythmicity in the olfactory bulb. *The Journal of Neuroscience*, 24(3), 615–619. <https://doi.org/10.1523/JNEUROSCI.4002-03.2004>
- Granados-Fuentes, D., Saxena, M. T., Prolo, L. M., Aton, S. J., & Herzog, E. D. (2004). Olfactory bulb neurons express functional, entrainable circadian rhythms. *The European*

8 Biology Department Publications: 2004

Journal of Neuroscience, 19(4), 898–906. <https://doi.org/10.1111/j.0953-816x.2004.03117.x>

Haeusser, D. P., Schwartz, R. L., Smith, A. M., Oates, M. E., & Levin, P. A. (2004). EzrA prevents aberrant cell division by modulating assembly of the cytoskeletal protein FtsZ. *Molecular Microbiology*, 52(3), 801–814. <https://doi.org/10.1111/j.1365-2958.2004.04016.x>

Harrelson, Z., Kelly, R. G., Goldin, S. N., Gibson-Brown, J. J., Bollag, R. J., Silver, L. M., & Papaioannou, V. E. (2004). Tbx2 is essential for patterning the atrioventricular canal and for morphogenesis of the outflow tract during heart development. *Development*, 131(20), 5041–5052. <https://doi.org/10.1242/dev.01378>

Hastings, M. H., & Herzog, E. D. (2004). Clock genes, oscillators, and cellular networks in the suprachiasmatic nuclei. *Journal of Biological Rhythms*, 19(5), 400–413. <https://doi.org/10.1177/0748730404268786>

Haydel, S. E., & Clark-Curtiss, J. E. (2004). Global expression analysis of two-component system regulator genes during mycobacterium tuberculosis growth in human macrophages. *FEMS Microbiology Letters*, 236(2), 341–347. <https://doi.org/10.1111/j.1574-6968.2004.tb09667.x>

Haynes, K. A., Leibovitch, B. A., Rangwala, S. H., Craig, C., & Elgin, S. C. R. (2004). Analyzing heterochromatin formation using chromosome 4 of drosophila melanogaster. *Cold Spring Harbor Symposia on Quantitative Biology*, 69, 267–272. <https://doi.org/10.1101/sqb.2004.69.267>

9 Biology Department Publications: 2004

- He, P., Chintamanani, S., Chen, Z., Zhu, L., Kunkel, B. N., Alfano, J. R., Tang, X., & Zhou, J.-M. (2004). Activation of a COII-dependent pathway in arabidopsis by pseudomonas syringae type III effectors and coronatine. *The Plant Journal: For Cell and Molecular Biology*, 37(4), 589–602. <https://doi.org/10.1111/j.1365-313x.2003.01986.x>
- Herzog, E. D., Aton, S. J., Numano, R., Sakaki, Y., & Tei, H. (2004). Temporal precision in the mammalian circadian system: A reliable clock from less reliable neurons. *Journal of Biological Rhythms*, 19(1), 35–46. <https://doi.org/10.1177/0748730403260776>
- Holt, R. D., Knight, T. M., Barfield, M., & Lundberg, A. E. P. (2004). Allee effects, immigration, and the evolution of species' niches. *The American Naturalist*, 163(2), 253–262. <https://doi.org/10.1086/381408>
- Hossain, T., Rosenberg, I., Selhub, J., Kishore, G., Beachy, R., & Schubert, K. (2004). Enhancement of folates in plants through metabolic engineering. *Proceedings of the National Academy of Sciences of the United States of America*, 101(14), 5158–5163. <https://doi.org/10.1073/pnas.0401342101>
- Hutchison, D., Strasburg, J., Brisson, J., & Cummings, S. (2004). Isolation and characterization of 11 polymorphic microsatellite loci in collared lizards (*Crotaphytus collaris*). *Molecular Ecology Notes*, 4, 554–556.
- Johnson, P. T. J., & Chase, J. M. (2004). Parasites in the food web: Linking amphibian malformations and aquatic eutrophication. *Ecology Letters*, 7(7), 521–526. <https://doi.org/10.1111/j.1461-0248.2004.00610.x>

10 Biology Department Publications: 2004

Kankel, M. W., Duncan, D. M., & Duncan, I. (2004). A screen for genes that interact with the drosophila pair-rule segmentation gene fushi tarazu. *Genetics*, *168*(1), 161–180.

<https://doi.org/10.1534/genetics.104.027250>

Kawakami, S., Watanabe, Y., & Beachy, R. N. (2004). Tobacco mosaic virus infection spreads cell to cell as intact replication complexes. *Proceedings of the National Academy of Sciences of the United States of America*, *101*(16), 6291–6296.

<https://doi.org/10.1073/pnas.0401221101>

Keren, N., Aurora, R., & Pakrasi, H. B. (2004). Critical roles of bacterioferritins in iron storage and proliferation of cyanobacteria. *Plant Physiology*, *135*(3), 1666–1673.

<https://doi.org/10.1104/pp.104.042770>

Kirk, D. L. (2004). Volvox. *Current Biology*, *14*(15), R599-600.

<https://doi.org/10.1016/j.cub.2004.07.034>

Kirk, M. M., & Kirk, D. L. (2004). Exploring germ-soma differentiation in volvox. *Journal of Biosciences*, *29*(2), 143–152. <https://doi.org/10.1007/BF02703412>

Kneitel, J. M., & Chase, J. M. (2004a). Disturbance, predator, and resource interactions alter container community composition. *Ecology*, *85*(8), 2088–2093.

<https://doi.org/10.1890/03-3172>

Kneitel, J. M., & Chase, J. M. (2004b). Trade-offs in community ecology: Linking spatial scales and species coexistence. *Ecology Letters*, *7*(1), 69–80. <https://doi.org/10.1046/j.1461-0248.2003.00551.x>

11 Biology Department Publications: 2004

- Knight, T. M., Chase, J. M., Goss, C. W., & Knight, J. J. (2004). Effects of interspecific competition, predation, and their interaction on survival and development time of immature *Anopheles quadrimaculatus*. *Journal of Vector Ecology*, 29(2), 277–284.
- Knight, T., & Miller, T. (2004). Local adaptation within a population of *Hydrocotyle bonariensis*. *Evolutionary Ecology Research*, 6.
- Knouft, J. H. (2004). Latitudinal variation in the shape of the species body size distribution: An analysis using freshwater fishes. *Oecologia*, 139(3), 408–417.
- Knouft, J., Page, L., & Taylor, C. (2004). Nest defense against predators by the male fringed darter (*Etheostoma crossopetrum*). *Copeia*, 2004, 915–918. <https://doi.org/10.1643/CE-03-169R1>
- Kobayashi, M., Ishizuka, T., Katayama, M., Kanehisa, M., Bhattacharyya-Pakrasi, M., Pakrasi, H. B., & Ikeuchi, M. (2004). Response to oxidative stress involves a novel peroxiredoxin gene in the unicellular cyanobacterium *Synechocystis* sp. PCC 6803. *Plant & Cell Physiology*, 45(3), 290–299. <https://doi.org/10.1093/pcp/pch034>
- Kolbe, J. J., Glor, R. E., Rodríguez Schettino, L., Lara, A. C., Larson, A., & Losos, J. B. (2004). Genetic variation increases during biological invasion by a Cuban lizard. *Nature*, 431(7005), 177–181. <https://doi.org/10.1038/nature02807>
- Koo, J. C., Asurmendi, S., Bick, J., Woodford-Thomas, T., & Beachy, R. N. (2004). Ecdysone agonist-inducible expression of a coat protein gene from tobacco mosaic virus confers viral resistance in transgenic *Arabidopsis*. *The Plant Journal: For Cell and Molecular Biology*, 37(3), 439–448. <https://doi.org/10.1046/j.1365-3113x.2003.01869.x>

12 Biology Department Publications: 2004

Kosciuch, K. L., & Langerhans, R. B. (2004). Evolution of coloniality via commodity selection:

What about variance? *The Auk*, *121*(1), 257–262. [https://doi.org/10.1642/0004-8038\(2004\)121\[0257:EOCVCS\]2.0.CO;2](https://doi.org/10.1642/0004-8038(2004)121[0257:EOCVCS]2.0.CO;2)

Kwon, C., Hays, R., Fetting, J., & Orenic, T. V. (2004). Opposing inputs by hedgehog and brinker define a stripe of hairy expression in the drosophila leg imaginal disc.

Development, *131*(11), 2681–2692. <https://doi.org/10.1242/dev.01127>

LaMotte, C. E., & Pickard, B. G. (2004a). Control of gravitropic orientation. I. Non-vertical orientation by primary roots of maize results from decay of competence for orthogravitropic induction. *Functional Plant Biology*, *31*(2), 93–107.

<https://doi.org/10.1071/fp03088>

LaMotte, C. E., & Pickard, B. G. (2004b). Control of gravitropic orientation. II. Dual receptor model for gravitropism. *Functional Plant Biology*, *31*(2), 109–120.

<https://doi.org/10.1071/fp03089>

Langerhans, R. B., & DeWitt, T. J. (2004). Shared and unique features of evolutionary diversification. *The American Naturalist*, *164*(3), 335–349.

<https://doi.org/10.1086/422857>

Langerhans, R. B., Layman, C. A., Shokrollahi, A. M., & DeWitt, T. J. (2004). Predator-driven phenotypic diversification in gambusia affinis. *Evolution*, *58*(10), 2305–2318.

<https://doi.org/10.1111/j.0014-3820.2004.tb01605.x>

Lawrence, R. J., Earley, K., Pontes, O., Silva, M., Chen, Z. J., Neves, N., Viegas, W., & Pikaard, C. S. (2004). A concerted DNA methylation/histone methylation switch regulates rRNA

gene dosage control and nucleolar dominance. *Molecular Cell*, 13(4), 599–609.

[https://doi.org/10.1016/s1097-2765\(04\)00064-4](https://doi.org/10.1016/s1097-2765(04)00064-4)

Lawrence, R. J., & Pikaard, C. S. (2004). Chromatin turn ons and turn offs of ribosomal RNA genes. *Cell Cycle*, 3(7), 880–883.

Leibold, M. A., Holyoak, M., Mouquet, N., Amarasekare, P., Chase, J. M., Hoopes, M. F., Holt, R. D., Shurin, J. B., Law, R., Tilman, D., Loreau, M., & Gonzalez, A. (2004). The metacommunity concept: A framework for multi-scale community ecology. *Ecology Letters*, 7(7), 601–613. <https://doi.org/10.1111/j.1461-0248.2004.00608.x>

Lewis, M. S., Cheverud, J. M., & Pikaard, C. S. (2004). Evidence for nucleolus organizer regions as the units of regulation in nucleolar dominance in arabidopsis thaliana interecotype hybrids. *Genetics*, 167(2), 931–939. <https://doi.org/10.1534/genetics.103.026203>

Lewis, W. H., Okunade, A. L., & Elvin-Lewis, M. (2004). Pau d'arco or lapacho (tabebuia). In *Encyclopedia of dietary supplements* (pp. 527–535). Marcel Dekker.

Lewis, W. H., Vaisberg, A., Lamas, G., Sarasara, C., & Elvin-Lewis, M. (2004). Advantage of ethnobotanically based research for searching new pharmaceuticals. *Ethnobotany*, 16, 10–15.

Lim, M. T. S., & Kunkel, B. N. (2004a). Mutations in the pseudomonas syringae avrRpt2 gene that dissociate its virulence and avirulence activities lead to decreased efficiency in AvrRpt2-induced disappearance of RIN4. *Molecular Plant-Microbe Interactions*, 17(3), 313–321. <https://doi.org/10.1094/MPMI.2004.17.3.313>

14 Biology Department Publications: 2004

Lim, M. T. S., & Kunkel, B. N. (2004b). The pseudomonas syringae type III effector AvrRpt2 promotes virulence independently of RIN4, a predicted virulence target in arabidopsis thaliana. *The Plant Journal: For Cell and Molecular Biology*, 40(5), 790–798.

<https://doi.org/10.1111/j.1365-313X.2004.02251.x>

Liu, M. H., Ge, X. J., Wang, W. K., & Hsu, T. W. (2004). Pollen and seed dispersal of musa balbisiana in south china. *Conservation Quarterly*, 47, 9–24.

Losos, J. B. (2004). Adaptation and specification in greater antillean anoles. In U. Dieckmann, M. Doebeli, J. A. J. Metz, & D. Tautz (Eds.), *Adaptive speciation*. Cambridge University Press.

Losos, J. B., Schoener, T. W., & Spiller, D. A. (2004). Predator-induced behaviour shifts and natural selection in field-experimental lizard populations. *Nature*, 432(7016), 505–508.

<https://doi.org/10.1038/nature03039>

Losos, J. B., & Thorpe, R. S. (2004). Evolutionary diversification of caribbean anolis lizards: Introduction. In U. Dieckmann, M. Doebeli, J. A. J. Metz, & D. Tautz (Eds.), *Adaptive speciation*. Cambridge University Press.

Ma, X., & Suga, N. (2004). Lateral inhibition for center-surround reorganization of the frequency map of bat auditory cortex. *Journal of Neurophysiology*, 92(6), 3192–3199.

<https://doi.org/10.1152/jn.00301.2004>

Mahadevan, N. R., Horton, A. C., & Gibson-Brown, J. J. (2004). Developmental expression of the amphioxus Tbx1/ 10 gene illuminates the evolution of vertebrate branchial arches and sclerotome. *Development Genes and Evolution*, 214(11), 559–566.

<https://doi.org/10.1007/s00427-004-0433-1>

Matthee, C. A., Tilbury, C. R., & Townsend, T. (2004). A phylogenetic review of the african leaf chameleons: Genus rhampholeon (chamaeleonidae): The role of vicariance and climate change in speciation. *Proceedings of the Royal Society B: Biological Sciences*, 271(1551), 1967–1975. <https://doi.org/10.1098/rspb.2004.2806>

Melville, J., Schulte II, J., & Larson, A. (2004). A molecular study of phylogenetic relationships and evolution of antipredator strategies in australian diplodactylus geckos, subgenus strophurus. *Biological Journal of the Linnean Society*, 82(1), 123–138. <https://doi.org/10.1111/j.1095-8312.2004.00324.x>

Miller, K. G. (2004). Converting a motor to an anchor. *Cell*, 116(5), 635–636. [https://doi.org/10.1016/S0092-8674\(04\)00213-2](https://doi.org/10.1016/S0092-8674(04)00213-2)

Ohkawa, H., Thornton, L., Kashino, Y., Keren, N., Roose, J., & Pakrasi, H. (2004). PsbP and PsbQ proteins have functional roles in cyanobacteria photosystem II. *Plant and Cell Physiology*, 45, S80–S80.

Okunade, A. L., Elvin-Lewis, M. P. F., & Lewis, W. H. (2004). Natural antimycobacterial metabolites: Current status. *Phytochemistry*, 65(8), 1017–1032. <https://doi.org/10.1016/j.phytochem.2004.02.013>

Okunade, A. L., & Lewis, W. H. (2004). Oleanene constituents of lantana cujabensis. *Fitoterapia*, 75(3–4), 327–331. <https://doi.org/10.1016/j.fitote.2004.02.005>

Pal-Bhadra, M., Leibovitch, B. A., Gandhi, S. G., Chikka, M. R., Bhadra, U., Birchler, J. A., & Elgin, S. C. R. (2004). Heterochromatic silencing and HP1 localization in drosophila are dependent on the RNAi machinery. *Science*, 303(5658), 669–672. <https://doi.org/10.1126/science.1092653>

Pontes, O., Neves, N., Silva, M., Lewis, M. S., Madlung, A., Comai, L., Viegas, W., & Pikaard, C. S. (2004). Chromosomal locus rearrangements are a rapid response to formation of the allotetraploid *arabidopsis suecica* genome. *Proceedings of the National Academy of Sciences of the United States of America*, *101*(52), 18240–18245.

<https://doi.org/10.1073/pnas.0407258102>

Probst, A. V., Fagard, M., Proux, F., Mourrain, P., Boutet, S., Earley, K., Lawrence, R. J., Pikaard, C. S., Murfett, J., Furner, I., Vaucheret, H., & Mittelsten Scheid, O. (2004). Arabidopsis histone deacetylase HDA6 is required for maintenance of transcriptional gene silencing and determines nuclear organization of rDNA repeats. *The Plant Cell*, *16*(4), 1021–1034. <https://doi.org/10.1105/tpc.018754>

Raven, P. H. (2004). Taxonomy: Where are we now? *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, *359*(1444), 729–730.

<https://doi.org/10.1098/rstb.2004.1462>

Richard, C. L., Tandon, A., & Kranz, R. G. (2004). Rhodobacter capsulatus nifA1 promoter: High-GC –10 regions in high-GC bacteria and the basis for their transcription. *Journal of Bacteriology*, *186*(3), 740–749. <https://doi.org/10.1128/JB.186.3.740-749.2004>

Roose, J. L., & Pakrasi, H. B. (2004). Evidence that D1 processing is required for manganese binding and extrinsic protein assembly into photosystem II*. *Journal of Biological Chemistry*, *279*(44), 45417–45422. <https://doi.org/10.1074/jbc.M408458200>

Ryberg, W., & Cathey, J. (2004). A box trap design to capture alligators in forested wetland habitats. *Wildlife Society Bulletin*, *32*, 183–187. <https://doi.org/10.2307/3784556>

- Ryberg, W., Fitzgerald, L., Honeycutt, R., Cathey, J., Hibbitts, T., & Jones, C. (2004). Vertebrate inventory of richland creek wildlife management area in eastern texas. *Southwestern Naturalist*, 49, 528–534. [https://doi.org/10.1894/0038-4909\(2004\)049<0528:VIORCW>2.0.CO;2](https://doi.org/10.1894/0038-4909(2004)049<0528:VIORCW>2.0.CO;2)
- Sakata, Y., Tanaka, S., & Quatrano, R. (2004). Comparative analysis of ABI3/VP1-mediated transcriptional regulation of an ABA-inducible promoter between moss and higher plants. *Plant and Cell Physiology*, 45, S52.
- Sanger, T. J., & Gibson-Brown, J. J. (2004). The developmental bases of limb reduction and body elongation in squamates. *Evolution*, 58(9), 2103–2106; discussion 2107-2108. <https://doi.org/10.1111/j.0014-3820.2004.tb00494.x>
- Schaal, B. A., & Leverich, W. J. (2004). Population genetic issues in ex situ plant conservation. In E. Guerrant, K. Havens, & M. Maunder (Eds.), *Ex situ plant conservation: Supporting species survival in the wild*. Island Press.
- Schoener, T. W., Spiller, D. A., & Losos, J. B. (2004). Variable ecological effects of hurricanes: The importance of seasonal timing for survival of lizards on bahamian islands. *Proceedings of the National Academy of Sciences of the United States of America*, 101(1), 177–181. <https://doi.org/10.1073/pnas.0306887101>
- Schulte, J. A., Losos, J. B., Cruz, F. B., & Núñez, H. (2004). The relationship between morphology, escape behaviour and microhabitat occupation in the lizard clade Liolaemus (iguanidae: Tropicodurinae: Liolaemini). *Journal of Evolutionary Biology*, 17(2), 408–420. <https://doi.org/10.1046/j.1420-9101.2003.00659.x>

- Shen, Q. J., Casaretto, J. A., Zhang, P., & Ho, T.-H. D. (2004). Functional definition of ABA-response complexes: The promoter units necessary and sufficient for ABA induction of gene expression in barley (*hordeum vulgare* L.). *Plant Molecular Biology*, *54*(1), 111–124. <https://doi.org/10.1023/B:PLAN.0000028773.94595.e8>
- Shurin, J. B., Amarasekare, P., Chase, J. M., Holt, R. D., Hoopes, M. F., & Leibold, M. A. (2004). Alternative stable states and regional community structure. *Journal of Theoretical Biology*, *227*(3), 359–368. <https://doi.org/10.1016/j.jtbi.2003.11.013>
- Smith, B. D., Beck, J. B., Denham, A. T., & Calie, P. J. (2004). High resolution gis mapping and current status of the ten viable populations of shart's goldenrod (*solidago shortii*-asteraceae) in kentucky. *Sida, Contributions To Botany*, *21*(2), 1121–1130.
- Stein, P. S. G., & Daniels-McQueen, S. (2004). Variations in motor patterns during fictive rostral scratching in the turtle: Knee-related deletions. *Journal of Neurophysiology*, *91*(5), 2380–2384. <https://doi.org/10.1152/jn.01184.2003>
- Stephens, G. E., Craig, C. A., Li, Y., Wallrath, L. L., & Elgin, S. C. R. (2004). Immunofluorescent staining of polytene chromosomes: Exploiting genetic tools. *Methods in Enzymology*, *376*, 372–393. [https://doi.org/10.1016/S0076-6879\(03\)76025-X](https://doi.org/10.1016/S0076-6879(03)76025-X)
- Strasburg, J. L. (2004). Eight highly polymorphic microsatellite loci for the australian gecko *heteronotia binoei*. *Molecular Ecology Notes*, *4*(3), 456–458. <https://doi.org/10.1111/j.1471-8286.2004.00679.x>
- Suga, N. (2004). Feature extraction and neural activity: Advances and perspectives. In J. Thomas, C. Moss, & M. Vater (Eds.), *Echolocation in bats and dolphins* (pp. 173–175). University of Chicago Press.

Suga, N., Zhang, Y., Olsen, J. F., & Yan, J. (2004). Modulation of frequency tuning of thalamic and midbrain neurons and cochlear hair cells by the descending auditory system in the mustached bat. In J. Thomas, C. Moss, & M. Vater (Eds.), *Echolocation in bats and dolphins* (pp. 241–221). University of Chicago Press.

Sun, F.-L., Haynes, K., Simpson, C. L., Lee, S. D., Collins, L., Wuller, J., Eissenberg, J. C., & Elgin, S. C. R. (2004). Cis-acting determinants of heterochromatin formation on *Drosophila melanogaster* chromosome four. *Molecular and Cellular Biology*, 24(18), 8210–8220. <https://doi.org/10.1128/MCB.24.18.8210-8220.2004>

Templeton, A. R. (2004a). A maximum likelihood framework for cross validation of phylogeographic hypotheses. In S. P. Wasser (Ed.), *Evolutionary theory and processes: Modern horizons: Papers in honor of Eviatar Nevo* (pp. 209–230). Kluwer Academic Press.

Templeton, A. R. (2004b). Statistical phylogeography: Methods of evaluating and minimizing inference errors. *Molecular Ecology*, 13(4), 789–809. <https://doi.org/10.1046/j.1365-294x.2003.02041.x>

Templeton, A. R. (2004c). Using haplotype trees for phylogeographic and species inference in fish populations. In A. J. Gharrett, R. G. Gustafson, J. L. Nielsen, J. E. Seeb, L. W. Seeb, W. W. Smoker, G. H. Thorgaard, & R. L. Wilmot (Eds.), *Genetics of subpolar fish and invertebrates* (pp. 7–20). Springer Netherlands.

Templeton, A. R., Reichert, R. A., Weisstein, A. E., Yu, X. F., & Markham, R. B. (2004). Selection in context: Patterns of natural selection in the glycoprotein 120 region of

human immunodeficiency virus 1 within infected individuals. *Genetics*, 167(4), 1547–1561. <https://doi.org/10.1534/genetics.103.023945>

Thornton, L. E., Ohkawa, H., Roose, J. L., Kashino, Y., Keren, N., & Pakrasi, H. B. (2004). Homologs of plant PsbP and PsbQ proteins are necessary for regulation of photosystem ii activity in the cyanobacterium *synechocystis* 6803. *The Plant Cell*, 16(8), 2164–2175. <https://doi.org/10.1105/tpc.104.023515>

Tian, W., Arakaki, A. K., & Skolnick, J. (2004). EFICAz: A comprehensive approach for accurate genome-scale enzyme function inference. *Nucleic Acids Research*, 32(21), 6226–6239. <https://doi.org/10.1093/nar/gkh956>

Torke, B. M. (2004). Two new species of *swartzia* (leguminosae) from the amazon basin of brazil, with notes on the genus and a key to the unifoliolate species. *Systematic Botany*, 29(2), 358–365.

Townsend, T., Larson, A., Louis, E., & Macey, J. (2004). Molecular phylogenetics of squamata: The position of snakes, amphisbaenians, and dibamids, and the root of the squamate tree. *Systematic Biology*, 53, 735–757. <https://doi.org/10.1080/10635150490522340>

Van Zandt, P. A., & Agrawal, A. A. (2004a). Community-wide impacts of herbivore-induced plant responses in milkweed (*asclepias syriaca*). *Ecology*, 85(9), 2616–2629.

Van Zandt, P. A., & Agrawal, A. A. (2004b). Specificity of induced plant responses to specialist herbivores of the common milkweed *asclepias syriaca*. *Oikos*, 104(2), 401–409. <https://doi.org/10.1111/j.0030-1299.2004.12964.x>

- Voloudakis, A. E., Malpica, C. A., Aleman-Verdaguer, M.-E., Stark, D. M., Fauquet, C. M., & Beachy, R. N. (2004). Structural characterization of tobacco etch virus coat protein mutants. *Archives of Virology*, *149*(4), 699–712. <https://doi.org/10.1007/s00705-003-0247-x>
- Wacker, D., Brower-Toland, B., Fulbright, R., Lis, J., Kraus, W. L., & Wang, M. (2004). Structure and stability of tailless and acetylated nucleosomes as studied by optical tweezers [abstract]. *Biophysical Journal*, *86 Suppl*, 420A.
- Wheeler, Q. D., Raven, P. H., & Wilson, E. O. (2004). Taxonomy: Impediment or expedient? *Science*, *303*(5656), 285–285. <https://doi.org/10.1126/science.303.5656.285>
- Wildman, D. E., Bergman, T. J., al-Aghbari, A., Sterner, K. N., Newman, T. K., Phillips-Conroy, J. E., Jolly, C. J., & Disotell, T. R. (2004). Mitochondrial evidence for the origin of hamadryas baboons. *Molecular Phylogenetics and Evolution*, *32*(1), 287–296. <https://doi.org/10.1016/j.ympev.2003.12.014>
- Woo, H. R., Kim, J. H., Nam, H. G., & Lim, P. O. (2004). The delayed leaf senescence mutants of arabidopsis, ore1, ore3, and ore9 are tolerant to oxidative stress. *Plant & Cell Physiology*, *45*(7), 923–932. <https://doi.org/10.1093/pcp/pch110>
- Xiao, Z., & Suga, N. (2004). Reorganization of the auditory cortex specialized for echo-delay processing in the mustached bat. *Proceedings of the National Academy of Sciences of the United States of America*, *101*(6), 1769–1774. <https://doi.org/10.1073/pnas.0307296101>
- Yi, H., Riddle, N. C., Stokes, T. L., Woo, H.-R., & Richards, E. J. (2004). Induced and natural epigenetic variation. *Cold Spring Harbor Symposia on Quantitative Biology*, *69*, 155–159. <https://doi.org/10.1101/sqb.2004.69.155>

- Yi, T., Miller, A. J., & Wen, J. (2004). Phylogenetic and biogeographic diversification of rhus (anacardiaceae) in the northern hemisphere. *Molecular Phylogenetics and Evolution*, 33(3), 861–879. <https://doi.org/10.1016/j.ympev.2004.07.006>
- Yu, X., Huang, Y., Collin-Osdoby, P., & Osdoby, P. (2004a). CCR1 chemokines promote the chemotactic recruitment, RANKL development, and motility of osteoclasts and are induced by inflammatory cytokines in osteoblasts. *Journal of Bone and Mineral Research*, 19(12), 2065–2077. <https://doi.org/10.1359/JBMR.040910>
- Yu, X., Huang, Y., Collin-Osdoby, P., & Osdoby, P. (2004b). Chemokines acting through CCR1 or CCR5 differentially promote osteoclast recruitment, RANKL development, and function. *Journal of Bone and Mineral Research*, 19, S413.
- Zhang, Z.-L., Xie, Z., Zou, X., Casaretto, J., Ho, T. D., & Shen, Q. J. (2004). A rice WRKY gene encodes a transcriptional repressor of the gibberellin signaling pathway in aleurone cells. *Plant Physiology*, 134(4), 1500–1513. <https://doi.org/10.1104/pp.103.034967>
- Zheng, H., Yu, X., Collin-Osdoby, P., & Osdoby, P. (2004). Nitric oxide directly inhibits mature osteoclast bone resorption through decreasing TRAP and V-ATPase expression and actin ring formation by cGMP dependent and independent mechanisms. *Journal of Bone and Mineral Research*, 19, S416.