

Oleksandr Karelin

Hidalgo State University

On singular integral operators with linear-fractional involutions

Abstract

We denote the Cauchy singular integral operator along a contour \mathcal{L} by $(S_{\mathcal{L}}\varphi)(t) = \frac{1}{\pi i} \int_{\mathcal{L}} \frac{\varphi(\tau)}{\tau-t} d\tau$ and the identity operator by $(I_{\mathcal{L}}\varphi)(t) = \varphi(t)$.

In the paper [1,2] we constructed a similarity transformation $F^{-1}AF = D$, between the singular integral operators A with the rotation operator $W_{\mathbb{T}}$ through the angle $2\pi/m$ on the unit circle \mathbb{T} , acting on the space $L_2(\mathbb{T})$, and a certain matrix characteristic singular integral operator without shifts acting on the space $L_2^m(\mathbb{T})$. For $m = 2$, we have $(W_{\mathbb{T}}\varphi)(t) = \varphi(-t)$,

$$A = a_0 I_{\mathbb{T}} + b_0 S_{\mathbb{T}} + a_1 W_{\mathbb{T}} + b_1 S_{\mathbb{T}} W_{\mathbb{T}}, \quad A \in [L_2(\mathbb{T})], D = u I_{\mathbb{T}} + v S_{\mathbb{T}}, \quad D \in [L_2^2(\mathbb{T})].$$

the right hand and left-hand side we reduced

$$B_{\mathbb{R}} = a I_{\mathbb{R}} + b Q_{\mathbb{R}} + c S_{\mathbb{R}} + d Q_{\mathbb{R}} S_{\mathbb{R}}, \quad B_{\mathbb{R}} \in [L_2(\mathbb{R})], \quad \mathbb{R} = (+\infty, -\infty),$$

where involution $(Q_{\mathbb{R}}\varphi)(x) = \frac{\sqrt{\delta^2 + \beta}}{x-\delta} \varphi[\alpha(x)]$, $\alpha(x) = \frac{\delta x + \beta}{x-\delta}$, $\delta^2 + \beta > 0$, to a matrix characteristic singular integral operator without shift:

$$\mathcal{HBF} = D_{\mathbb{R}_+}, \quad D_{\mathbb{R}_+} = u \mathbb{R}_+ I_{\mathbb{R}_+} + v \mathbb{R}_+ S_{\mathbb{R}_+},$$

acting on the space $L_2^2(\mathbb{R}_+, x^{-\frac{1}{4}})$, $\mathbb{R}_+ = (0, +\infty)$. We will refer to the formulas as operator equalities. Different applications of operator equalities to singular integral operators and to boundary value problems are considered.

[1] A. A. Karelin, On a relation between singular integral operators with a Carleman linear-fractional shift and matrix characteristic operators without shift, *Boletín Soc. Mat. Mexicana* Vol. 7 No. 12 (2001), pp. 235–246.

[2] A. Karelin, Applications of operator equalities to singular integral operators and to Riemann boundary value problems, *Math. Nachr.* Vol. 280 No. 9-10 (2007), pp. 1108–1117.

Talk time: 2016-07-21 16:00— 2016-07-21 16:20

Talk location: Cupples I Room 215

Session: Operator theory, singular integral equations, and PDEs. Organized by R. Duduchava, E. Shargorodsky, and J. Lang